

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
09/745,074	12/20/2000	Nobuyuki Itoh	55506(840)	5506(840) 9273		
21874	7590 06/30/2005		EXAM	EXAMINER		
EDWARDS & ANGELL, LLP			RUDE, TIM	RUDE, TIMOTHY L		
P.O. BOX 558	* *	ART UNIT	PAPER NUMBER			
BOSTON, MA 02205			2883	TALER NOMBER		
			DATE MAILED: 06/30/2005			

Please find below and/or attached an Office communication concerning this application or proceeding.

_					~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
		Applica	ation No.	Applicant(s)			
Office Action Summary		09/745	5,074	ITOH ET AL.			
		Exami	ner	Art Unit			
·			y L. Rude	2883			
Period fo	The MAILING DATE of this communic or Reply	ation appears on	the cover sheet v	vith the correspondence addre	ISS		
THE - Exte after - If the - If NO - Failt Any	MAILING DATE OF THIS COMMUNIC MAILING DATE OF THIS COMMUNIC SIX (6) MONTHS from the mailing date of this commu e period for reply specified above is less than thirty (30) period for reply is specified above, the maximum state are to reply within the set or extended period for reply w reply received by the Office later than three months aft led patent term adjustment. See 37 CFR 1.704(b).	CATION. f 37 CFR 1.136(a). In no nication. days, a reply within the sutory period will apply and fill, by statute, cause the	event, however, may a statutory minimum of th d will expire SIX (6) MO application to become A	reply be timely filed irty (30) days will be considered timely. NTHS from the mailing date of this comm BANDONED (35 U.S.C. § 133).	nunication.		
Status							
1)⊠	Responsive to communication(s) filed	I on <i>05 April 2005</i>	i.				
•		b)⊠ This action is					
3)□	,—						
Disposit	ion of Claims						
4)⊠ 5)□ 6)⊠ 7)□	Claim(s) 1-17 is/are pending in the ap 4a) Of the above claim(s) 3 is/are with Claim(s) is/are allowed. Claim(s) 1,2 and 4-17 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restrict	ndrawn from consi					
Applicat	ion Papers						
9)[The specification is objected to by the	Examiner.					
10)	The drawing(s) filed on is/are:	a) accepted or	b) ☐ objected to	by the Examiner.			
	Applicant may not request that any object	tion to the drawing(s) be held in abeya	ance, See 37 CFR 1.85(a).			
11)	Replacement drawing sheet(s) including to The oath or declaration is objected to			• • •			
Priority :	under 35 U.S.C. § 119						
a)	Acknowledgment is made of a claim for All b) Some * c) None of: 1. Certified copies of the priority of Some * Copies of the priority of Some * Copies of the priority of Some * Copies of the certified copies of the certified copies of the certified copies of the certified copies of the Internation See the attached detailed Office action	documents have be documents have be of the priority document Bureau (PCT F	neen received. neen received in nments have bee Rule 17.2(a)).	Application No n received in this National Sta	age		
Attachmer							
	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PT	O-948)		Summary (PTO-413) o(s)/Mail Date			
3) Infor	rmation Disclosure Statement(s) (PTO-1449 or Fer No(s)/Mail Date			Informal Patent Application (PTO-19	52)		

Art Unit: 2883

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submissions filed on 07 February 2005 and 05 April 2005 have been entered.

Claims

Claims 1, 4, and 7 are amended. Claims 15-17 are added.

Claim Objections

Claim 1 is objected to because of the following informalities: The latter part of claim 1 presently has limitations drawn to molecules tilting away from a volume excluding member and to an opposite side edge having a volume excluding member when the earlier part of the claim only comprises one volume excluding member on only one side edge of the electrode. The claim is also confusing because it fails to adequately contrast the plurality of side edges, so it is unclear which side edge is being referenced in the latter part of the claim. For examination purposes, the claim will be

Art Unit: 2883

considered to comprise only one volume excluding member on one or both electrodes.

Appropriate correction is required.

Claim Rejections - 35 USC § 103


The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 1. Claims 1, 2, 4-6, 15, and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hirata et al (Hirata) USPAT 5,872,611 in view of Colgan et al (Colgan) USPAT 6,256,080 B1.

As to claims 1, 15, and 16, Hirata discloses in example 10, (col. 18, line 21 through col. 20, line 10) and in related example 11, (col. 20, line 13 through col. 22, line 12, especially col. 20, lines 46-55), Figures 22-30, a liquid crystal display apparatus comprising: a pair of substrates, 41a and 41b, opposing each other with at least one electrode, 44 and 45, provided on both of the substrates; a liquid crystal layer, 63, interposed between the pair of substrates; the at least one electrode being used for applying an electric field across the liquid crystal layer; and at least one volume excluding member that is provided on opposite edges of the at least one electrode but


Art Unit: 2883

are not opposite each other [low-permittivity insulating film, 47, Figure 27, and dotted rectangles in Figure 26], wherein:



at a second state at which voltage is applied, the liquid crystal molecules are tilted in a uniform direction such that said liquid crystal molecules are tilted away from the at least volume excluding member of the at least one electrode to an opposite edge when a voltage is applied to the at least one electrode (per double-headed arrows in Figures 22 and 27, col. 19, lines 9-19).

Art Unit: 2883




Hirata discloses zero tilt angle (col. 19, lines 1-8), which is parallel alignment that indicates positive dielectric anisotropy, given the molecular alignments indicated in Figures 22 and 27.

Hirata does not explicitly disclose a liquid crystal layer containing liquid crystal molecules having a negative dielectric anisotropy and a side of each of the pair of substrates facing the liquid crystal layer subjected to a vertical alignment treatment.

Hirata does not explicitly disclose vertical alignment mode of operation comprising non-twisted or non-bended liquid crystal molecules, however, Hirata teaches that his invention, although disclosed in TN mode, is applicable to other modes of operation (col. 23, lines 60-67).

Art Unit: 2883

Colgan teaches the use of homeotropic alignment (Applicant's vertical alignment treatments) (col. 9, lines 50-55) and liquid crystal material with negative dielectric anisotropy (col. 7, lines 33-38) in a display with gaps, notches, or ridges, 406 (col. 12, lines 38-47), to comprise a display with an improved wide viewing angle (Abstract).



Colgan is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to add a liquid crystal layer containing liquid crystal molecules having a negative dielectric anisotropy and a side of each of the pair of substrates facing the liquid crystal layer subjected to a vertical alignment treatment to comprise a display with improved wide viewing angle.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of Hirata with the liquid crystal layer containing liquid crystal molecules having a negative dielectric

anisotropy and a side of each of the pair of substrates facing the liquid crystal layer subjected to a vertical alignment treatment of Colgan to comprise a display with improved wide viewing angle.

Please note that the combination of Colgan to Hirata would meet Applicant's enabling disclosure thereby necessarily meeting Applicant's claimed performance recitations.

As to claim 2, Hirata discloses a volume excluding member comprising a protrusion, 47, above.


As to claim 4, Hirata in view of Colgan, as combined above, disclose the liquid crystal display as comprised above wherein: a plurality of volume excluding members provided on the at least one electrode on at least one of the pair of substrates, each of the plurality of volume excluding members being provided so as to be on at least a portion of each of an opposing pair of side edges of the at least one electrode but so as not to oppose each other (per dashed rectangles, Figure 26).

Please note that the combination of Colgan to Hirata would meet Applicant's enabling disclosure thereby necessarily meeting Applicant's claimed performance recitations.

Art Unit: 2883

As to claim 5, Hirata in view of Colgan, as combined above, disclose the liquid crystal display as comprised above wherein: the at least one electrode on the at least one of the pair of substrates includes a first side edge and a second side edge; and the plurality of volume excluding members are provided along a portion of the first side edge and along a portion of the second side edge (per Figure 26).

As to claim 6, Hirata in view of Colgan, as combined above, disclose the liquid crystal display as comprised above wherein: slit-like openings (Applicant's nonconductive window portion) (solid rectangles in pixel region of Figure 25) is formed in the at least one electrode on the at least one of the pair of substrates (col. 21, lines 27-32).



Hirata teaches the window openings may be interchanged with the volume excluding members (col. 21, lines 28-32). Hirata teaches that the addition of more pixel dividing members (adding more volume excluding members or non-conductive windows) provides a more natural looking effect to the eye of the observer (better picture).

Hirata is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to add a non-conductive window portion formed in the at least one electrode on the at least one of the pair of substrates to provide a more natural looking effect to the eye of the observer (better picture).

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of Hirata in view of Colgan with a non-conductive window portion formed in the at least one electrode on the at least one of the pair of substrates of Hirata to provide a more natural looking effect to the eye of the observer (better picture).

2. Claims 7-14, and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hirata in view of Colgan, as applied to claims 1-6 above, and further in view of Numano et al (Numano) USPAT 6,313,898 B1.

As to claims 7, 13, 14, and 17, Hirata in view of Colgan disclose the liquid crystal display as comprised above such that when voltage is not applied to the at least one


Art Unit: 2883

electrode, the liquid crystal molecules in the at least one pixel portion are oriented in a vertical alignment.

Hirata in view of Colgan do not explicitly disclose that the liquid crystal molecules in the non-pixel portion are oriented in a uniaxial horizontal alignment by subjecting a vertical alignment film to an irradiation of selectively polarized ultraviolet rays, wherein a direction of the horizontal alignment of the liquid crystal molecules in the at least one pixel portion is substantially identical to a direction of uniaxial horizontal alignment of the liquid crystal molecules in the non-pixel portion.

Numano teaches in Embodiment 3 (col. 11, line 35 through col. 12, line 5) and Figures 11(a)-11(c) the use of polarized ultraviolet light to weaken the strength of the alignment layer (reducing the vertical alignment to become more horizontal in alignment) in the region between pixels to reduce cross talk and allow for a higher aperture ratio (col. 12, lines 3-5). The teachings and motivation of Numano expressed in 10 embodiments are considered to be robust to suggest the claimed invention to those having ordinary skill in the art of liquid crystals. Also, providing a direction of the horizontal alignment of the liquid crystal molecules in the at least one pixel portion is substantially identical to a direction of uniaxial horizontal alignment of the liquid crystal molecules in the non-pixel portion would be obvious to those having ordinary skill in the art of liquid crystals to prevent light leaks and thereby improve contrast.

Art Unit: 2883



Numano is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to make the liquid crystal molecules in the non-pixel portion oriented in a uniaxial horizontal alignment by subjecting the existing vertical alignment film to an irradiation of selectively polarized ultraviolet rays providing a direction of the horizontal alignment of the liquid crystal molecules in the at least one pixel portion is substantially identical to a direction of uniaxial horizontal alignment of the

liquid crystal molecules in the non-pixel portion to reduce cross talk and allow for a higher aperture ratio and to prevent light leaks and thereby improve contrast.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of Hirata in view of Colgan with the liquid crystal molecules in the non-pixel portion oriented in a uniaxial horizontal alignment by subjecting the vertical alignment film to an irradiation of selectively polarized ultraviolet rays providing a direction of the horizontal alignment of the liquid crystal molecules in the at least one pixel portion is substantially identical to a direction of uniaxial horizontal alignment of the liquid crystal molecules in the non-pixel portion of Numano to reduce cross talk and allow for a higher aperture ratio and to prevent light leaks and thereby improve contrast.

Please note that the combination of Numano and Colgan to Hirata would meet Applicant's enabling disclosure thereby necessarily meeting Applicant's claimed performance recitations.

As to claim 8, Hirata discloses in example 10, (col. 18, line 21 through col. 20, line 10) and in related example 11, (col. 20, line 13 through col. 22, line 12), Figures 22-30, a liquid crystal display apparatus according to claim 7, wherein the liquid crystal molecules in the at least one pixel portion are oriented in a horizontal alignment so as to be tilted in a uniform direction when a voltage is applied to the at least one electrode (per Figures 22 and 27).

Art Unit: 2883

As to claims 9 and 10, Hirata discloses a volume excluding member, 47, is formed on a portion of the at least one electrode wherein said volume excluding member comprises a protrusion.

As to claim 11, Hirata discloses in example 10 a side of the at least one of the pair of substrates facing the liquid crystal layer is subjected to a rubbing treatment (col. 19, line 1). Furthermore, Colgan teaches in the Background of the Invention, the alignment of the LC molecules of the homeotrpic cells is typically provided by rubbing alignment layers (col. 3, lines 13-16).


As to claim 12, Hirata discloses in Example 11, a liquid crystal display apparatus, wherein the at least one electrode comprises a comb electrode (col. 21, lines 46-59).

3. Claims 1, 2, 4-6, 15, and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Colgan et al (Colgan) USPAT 6,256,080 B1 in view of Hirata et al (Hirata) USPAT 5,872,611.

As to claims 1, 15, and 16, Colgan teaches the use of homeotropic alignment (Applicant's vertical alignment treatments) (col. 9, lines 50-55) and liquid crystal material with negative dielectric anisotropy (col. 7, lines 33-38) in a display with gaps, notches,

Art Unit: 2883

or ridges, 406 (col. 12, lines 38-47), to comprise a display with an improved wide viewing angle (Abstract).




Colgan does not explicitly disclose one of the at least one volume excluding member is provided on the at least one electrode on at least one of the pair of substrates, the volume excluding member being provided so as to be on at least a portion of one side edge of the at least one electrode; and the liquid crystal molecules are tilted in a uniform direction from the at least one side edge of the at least one electrode to an opposite edge when a voltage is applied to the at least one electrode.

Hirata teaches in example 10, (col. 18, line 21 through col. 20, line 10) and in related example 11, (col. 20, line 13 through col. 22, line 12), Figures 22-30, a liquid crystal display apparatus comprising: a pair of substrates, 41a and 41b, opposing each


Art Unit: 2883

other; a liquid crystal layer, 63, interposed between the pair of substrates; at least one electrode, 44 and 45, provided on each of the pair of substrates, the at least one electrode being used for applying an electric field across the liquid crystal layer; and at least one low-permittivity insulating film, 47 (Applicant's volume excluding member), wherein:



one of the at least one volume excluding member is provided on the at least one electrode on at least one of the pair of substrates, the volume excluding member being provided so as to be on at least a portion of one side edge of the at least one electrode (dashed rectangles in Figure 26); and the liquid crystal molecules are tilted in a uniform direction from the at least one side edge of the at least one electrode to an opposite edge when a voltage is applied to the at least one electrode (per double-headed arrows in Figures 22 and 27, col. 19, lines 9-19) to improve viewing angle performance.

Art Unit: 2883



Hirata is evidence that workers of ordinary skill in the art would find the reason, suggestion, or motivation to add the claimed volume excluding members to improve viewing angle performance.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the invention of Cogan with the volume excluding members per Hirata to improve viewing angle performance.

Please note that the combination of Colgan to Hirata would meet Applicant's enabling disclosure thereby necessarily meeting Applicant's claimed performance recitations.

excluding member comprising a protrusion, 47, above.

As to claim 4, Colgan in view of Hirata, as combined above, disclose the liquid

crystal display as comprised above wherein: a plurality of volume excluding members

As to claim 2, Hirata, as combined to Colgan above, discloses a volume

provided on the at least one electrode on at least one of the pair of substrates, each of

the plurality of volume excluding members being provided so as to be on at least a

portion of each of an opposing pair of side edges of the at least one electrode but so as

not to oppose each other (per dashed rectangles, Figure 26).

Please note that the combination of Colgan to Hirata would meet Applicant's

enabling disclosure thereby necessarily meeting Applicant's claimed performance

recitations.

As to claim 5, Colgan in view of Hirata disclose the liquid crystal display as

comprised above wherein: the at least one electrode on the at least one of the pair of

substrates includes a first side edge and a second side edge; and the plurality of

volume excluding members are provided along a portion of the first side edge and along


a portion of the second side edge (per Figure 26).

As to claim 6, Colgan in view of Hirata disclose the liquid crystal display as

comprised above wherein: slit-like openings (Applicant's non-conductive window

Art Unit: 2883

portion) (solid rectangles in pixel region of Figure 25) is formed in the at least one electrode on the at least one of the pair of substrates (col. 21, lines 27-32).



Hirata, as combined above, teaches the window openings may be interchanged with the volume excluding members (col. 21, lines 28-32). Hirata teaches that the addition of more pixel dividing members (adding more volume excluding members or non-conductive windows) provides a more natural looking effect to the eye of the observer (better picture).

Hirata is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to add a non-conductive window portion formed in the at least one electrode on the at least one of the pair of substrates to provide a more natural looking effect to the eye of the observer (better picture).

Art Unit: 2883

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of Hirata in view of Colgan with a non-conductive window portion formed in the at least one electrode on the at least one of the pair of substrates of Hirata to provide a more natural looking effect to the eye of the observer (better picture).

4. Claims 7-14 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Colgan in view of Hirata, as applied to claims 1-6 above, and further in view of Numano et al (Numano) USPAT 6,313,898 B1.


As to claims 7, 13, 14, and 17, Colgan in view of Hirata disclose the liquid crystal display as comprised above such that when voltage is not applied to the at least one electrode, the liquid crystal molecules in the at least one pixel portion are oriented in a vertical alignment.

Colgan in view of Hirata do not explicitly disclose that the liquid crystal molecules in the non-pixel portion are oriented in a uniaxial horizontal alignment by subjecting a vertical alignment film to an irradiation of selectively polarized ultraviolet rays, wherein a direction of the horizontal alignment of the liquid crystal molecules in the at least one pixel portion is substantially identical to a direction of uniaxial horizontal alignment of the liquid crystal molecules in the non-pixel portion.

Art Unit: 2883

Numano teaches in Embodiment 3 (col. 11, line 35 through col. 12, line 5) and Figures 11(a)-11(c) the use of polarized ultraviolet light to weaken the strength of the alignment layer (reducing the vertical alignment to become more horizontal in alignment) in the region between pixels to reduce cross talk and allow for a higher aperture ratio (col. 12, lines 3-5). The teachings and motivation of Numano expressed in 10 embodiments are considered to be robust to suggest the claimed invention to those having ordinary skill in the art of liquid crystals. Also, providing a direction of the horizontal alignment of the liquid crystal molecules in the at least one pixel portion is substantially identical to a direction of uniaxial horizontal alignment of the liquid crystal molecules in the non-pixel portion would be obvious to those having ordinary skill in the art of liquid crystals to prevent light leaks and thereby improve contrast.

Art Unit: 2883



Numano is evidence that ordinary workers in the art of liquid crystals would find the reason, suggestion, or motivation to make the liquid crystal molecules in the non-pixel portion oriented in a uniaxial horizontal alignment by subjecting the existing vertical alignment film to an irradiation of selectively polarized ultraviolet rays providing a direction of the horizontal alignment of the liquid crystal molecules in the at least one pixel portion is substantially identical to a direction of uniaxial horizontal alignment of the

liquid crystal molecules in the non-pixel portion to reduce cross talk and allow for a higher aperture ratio and to prevent light leaks and thereby improve contrast.

Therefore, it would have been obvious to one having ordinary skill in the art of liquid crystals at the time the invention was made to modify the LCD of Colgan in view of Hirata with the liquid crystal molecules in the non-pixel portion oriented in a uniaxial horizontal alignment by subjecting the vertical alignment film to an irradiation of selectively polarized ultraviolet rays providing a direction of the horizontal alignment of the liquid crystal molecules in the at least one pixel portion is substantially identical to a direction of uniaxial horizontal alignment of the liquid crystal molecules in the non-pixel portion of Numano to reduce cross talk and allow for a higher aperture ratio and to prevent light leaks and thereby improve contrast.

Please note that the combination of Colgan to Hirata would meet Applicant's enabling disclosure thereby necessarily meeting Applicant's claimed performance recitations.

As to claim 8, Hirata, as combined to Colgan above, discloses in example 10, (col. 18, line 21 through col. 20, line 10) and in related example 11, (col. 20, line 13 through col. 22, line 12), Figures 22-30, a liquid crystal display apparatus according to claim 7, wherein the liquid crystal molecules in the at least one pixel portion are oriented in a horizontal alignment so as to be tilted in a uniform direction when a voltage is applied to the at least one electrode (per Figures 22 and 27).

Art Unit: 2883

As to claims 9 and 10, Hirata, as combined to Colgan above, discloses a volume excluding member, 47, is formed on a portion of the at least one electrode wherein said volume excluding member comprises a protrusion.

As to claim 11, Hirata, as combined to Colgan above, discloses in example 10 a side of the at least one of the pair of substrates facing the liquid crystal layer is subjected to a rubbing treatment (col. 19, line 1). Furthermore, Colgan teaches in the Background of the Invention, the alignment of the LC molecules of the homeotropic cells is typically provided by rubbing alignment layers (col. 3, lines 13-16).

As to claim 12, Hirata, as combined to Colgan above, discloses in Example 11, a liquid crystal display apparatus, wherein the at least one electrode comprises a comb electrode (col. 21, lines 46-59).

Art Unit: 2883

Response to Arguments

5. Applicant's arguments filed on 07 February 2005 and 05 April 2005 have been fully considered but they are not persuasive.

Applicant's ONLY arguments are as follows:

- (1) One of ordinary skill in the art of liquid crystals would not modify the TN cell of Hirata with the components disclosed by Colgan and would not obtain the claimed invention because Hirata exclusively teaches TN.
 - (2) Hirata teaches away.
- (3) None of the references teach the newly added performance recitations, e.g., molecules tilting in a uniform direction.
- (4) Hirata teaches non-uniform tilting towards the volume excluding member rather than the claimed uniform tilting away from the volume excluding member.
 - (5) Colgan teaches away.
- (6) Claim 7 is not obvious because Numano, Colgan, and Hirata do not teach the claimed tilting.
- (7) Claim 7 is not obvious because one of ordinary skill would not combine Numano, Colgan, and Hirata.
- (8) Dependent claims are allowable because they directly or indirectly depend from an allowable base claim.

Art Unit: 2883

Examiner's responses to Applicant's ONLY arguments are as follows:

- (1) It is respectfully pointed out that the teachings of Cogan directly address the used of negative dielectric anisotropy and vertical alignment to achieve a different functionality with the motivation of improved wide viewing angle per rejections above. Therefore the reason, suggestion, and/or motivation for a departure from the functionality of Hirata is provided by Colgan and as allowed for by Hirata (col. 23, lines 60-67), which would lead one of ordinary skill in the art to combine the teachings as a matter of routine experimentation with reasonable expectation of success.
- (2) It is respectfully pointed out that use of Hirata's volume excluding members is applicable to other liquid crystal cell modes (col. 23, lines 60-67).
- (3) It is respectfully pointed out that the applied prior art, as combined above, meets the structural limitations of Applicant's enabling disclosure and would therefore meet Applicant's performance recitations per Applicant's enabling disclosure.
- (4) It is respectfully pointed out that Hirata may teach away non-uniform tilting towards the volume excluding member because it is the modifications of Colgan, as motivated to combine above, that result in the claimed performance limitation of uniform tilting away from the volume excluding member.
- (5) It is respectfully pointed out that Colgan was applied exclusively to teach vertical alignment with negative dielectric anisotropy. Applicant's argument is respectfully considered piecemeal.

Art Unit: 2883

(6) It is respectfully pointed out that the applied prior art, as combined above, meets the structural limitations of Applicant's enabling disclosure and would therefore meet Applicant's performance recitations per Applicant's enabling disclosure.

- (7) It is respectfully pointed out that examiner considers the teachings of Numano to be quite clear as to the motivations, per rejections above. Examiner can find no teaching in any of the references that would have led one of ordinary skill to *not* attempt the combination with reasonable expectation of success.
- (8) It is respectfully pointed out that in so far as Applicant has not argued rejection(s) of the limitations of dependent claim(s), Applicant has acquiesced said rejection(s).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy L. Rude whose telephone number is (571) 272-2301. The examiner can normally be reached on Monday through Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank Font can be reached on (571) 272-2415. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2883

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Timothy L Rude

Examiner Art Unit 2883

tlr

Ma